CRAFTACKS INDIA / ARCHITECTURAL BRASSWARE

KITCHEN GALLERY RAILS

Bespoke solid brass shelf rail systems | Five designer collections | Individually orderable components



2026 DESIGN CONCEPT CATALOGUE

END POSTS / CENTRE POSTS / 90° CORNERS / CUSTOM CUT RODS

EXPLORE GALLERY RAILS

REQUEST A BESPOKE QUOTE

COLLECTION OVERVIEW

Five distinct signatures

A coordinated family of decorative shelf guards for kitchens, pantries, bars and bespoke cabinetry.



CI-KGR-101

Knurlcrest

Contemporary Knurled Gallery Rail

Precision | Modern | Minimal

ENQUIRE / >



CI-KGR-102

Ashbourne

Classic Ball-Finial Gallery Rail

English | Classic | Timeless

ENQUIRE / >



CI-KGR-103

Mayfair Deco

Geometric Art Deco Gallery Rail

Geometric | Art Deco | Statement

ENQUIRE / >



CI-KGR-104

Langford Duo

Double-Tier Brass Gallery Rail

Double Tier | Display | Heritage

ENQUIRE / >



CI-KGR-105

Warwick Twist

Fluted & Rope-Twist Gallery Rail

Textured | Fluted | Bespoke

ENQUIRE / >

Illustrative design concepts. Product references are proposed; engineering, availability and final pricing require confirmation.

MATERIAL PALETTE

Seven signature finishes

Choose a coordinated finish for rods and brackets. The visual comparisons below show the Knurlcrest design as an illustrative finish guide.



AB
Antique Brass
Aged warm patina

PW
Pewter
Soft antiqued silver

BB
Brushed Brass
Satin directional grain

MB
Matte Black
Low sheen black

ORB
Oil Rubbed Bronze
Dark bronze highlights

PC
Polished Chrome
Bright cool mirror

PB
Polished Brass
Bright warm mirror

Finishes pictured are photorealistic visualizations, not physical color standards. Color, sheen, patina and texture may vary by production batch, substrate and lighting. Request an approved sample before large projects.

SHOP EXISTING RAIL SYSTEMS

REQUEST FINISH SAMPLES / QUOTE

Four rod diameters

Select a nominal rod size; supply exact cut lengths in millimetres for every run. Rod and post bores must match.

ROD CODE CI-KGR-R06

6 mm

Delicate detailing

Custom cut-to-length; order each rod separately

ROD CODE CI-KGR-R10

10 mm

Refined proportions



Custom cut-to-length; order each rod separately

ROD CODE CI-KGR-R16

16 mm

Classic architectural scale



Custom cut-to-length; order each rod separately

ROD CODE CI-KGR-R25

25 mm

Statement / heavy profile



Custom cut-to-length; order each rod separately

Specify per rod: diameter (6 / 10 / 16 / 25 mm), finished cut length in mm, quantity, matching finish code and railing family. Plain round and decorative rope-twist profiles are different items. Custom lengths and heavier diameters are subject to production and installation review.

REQUEST CUT-TO-LENGTH PRICING

SHOP THE CURRENT RANGE

Knurlcrest

Contemporary Knurled Gallery Rail | Precision | Modern | Minimal



DESIGN INTENT

Diamond-knurled end caps meet a clean, architectural rail on simple circular bases.

- Crisp minimalist cylindrical supports
- Textured end details with balanced proportions
- Ideal for modern floating shelves and pantry joinery

ORDER BY COMPONENT / **CI-KGR-101-E + CI-KGR-101-C + CI-KGR-101-90**


SHOP CURRENT GALLERY RAIL

QUOTE THIS DESIGN

Choose each bracket


Knurlcrest | End, centre and 90° corner supports are individually specified. Quantity is chosen by the customer.

END BRACKET




Concept component view

CENTRE BRACKET



Concept component view

90° CORNER BRACKET



Concept component view

CI-KGR-101-E

END BRACKET

Single-ended termination; specify quantity per run.

QUOTE CI-KGR-101-E

CI-KGR-101-C

CENTRE BRACKET

Pass-through support for straight sections.

QUOTE CI-KGR-101-C

CI-KGR-101-90

90° CORNER

Two-way junction for an L-shaped return.

QUOTE CI-KGR-101-90

OPTIONAL ROD DIAMETERS

6 mm / 10 mm / 16 mm / 25 mm

Confirm post bore, minimum wall thickness, fixing and span before ordering.

FINISH CODE (APPEND TO YOUR ORDER REQUEST)

AB	PW	BB	MB	ORB	PC	PB
Antique Brass	Pewter	Brushed Brass	Matte Black	Oil Rubbed Bronze	Polished Chrome	Polished Brass

Illustrative bracket concepts; not certified shop drawings. Refined profile for contemporary cabinetry. Three-post composition shown for design intent. Bracket mounting orientation, dimensions and final hole positions are subject to approval.

Ashbourne

Classic Ball-Finial Gallery Rail | English | Classic | Timeless



DESIGN INTENT

Elegant turned supports and ball finials bring a traditional English character to open shelving.

- Decorative turned upright profile
- Softly rounded ball finials
- Made for heritage kitchens and Shaker interiors

ORDER BY COMPONENT / **CI-KGR-102-E + CI-KGR-102-C + CI-KGR-102-90**


SHOP CURRENT GALLERY RAIL

QUOTE THIS DESIGN

Choose each bracket


Ashbourne | End, centre and 90° corner supports are individually specified. Quantity is chosen by the customer.

END BRACKET




Concept component view

CENTRE BRACKET



Concept component view

90° CORNER BRACKET



Concept component view

CI-KGR-102-E

END BRACKET

Single-ended termination; specify quantity per run.

QUOTE CI-KGR-102-E

CI-KGR-102-C

CENTRE BRACKET

Pass-through support for straight sections.

QUOTE CI-KGR-102-C

CI-KGR-102-90

90° CORNER

Two-way junction for an L-shaped return.

QUOTE CI-KGR-102-90

OPTIONAL ROD DIAMETERS

6 mm / 10 mm / 16 mm / 25 mm

Confirm post bore, minimum wall thickness, fixing and span before ordering.

FINISH CODE (APPEND TO YOUR ORDER REQUEST)

AB	PW	BB	MB	ORB	PC	PB
Antique Brass	Pewter	Brushed Brass	Matte Black	Oil Rubbed Bronze	Polished Chrome	Polished Brass

Illustrative bracket concepts; not certified shop drawings. Classic railing concept with polished brass and traditional stone shelf setting. Bracket mounting orientation, dimensions and final hole positions are subject to approval.

Mayfair Deco

Geometric Art Deco Gallery Rail | Geometric | Art Deco | Statement



DESIGN INTENT

Stepped geometric uprights, architectural corners and bold metal profiles create a striking shelf edge.

- Distinctive stepped square post design
- Strong vertical silhouette and square detailing
- Suitable for luxury Art Deco inspired interiors

ORDER BY COMPONENT / **CI-KGR-103-E + CI-KGR-103-C + CI-KGR-103-90**


SHOP CURRENT GALLERY RAIL

QUOTE THIS DESIGN

Choose each bracket


Mayfair Deco | End, centre and 90° corner supports are individually specified. Quantity is chosen by the customer.

END BRACKET




Concept component view

CENTRE BRACKET



Concept component view

90° CORNER BRACKET



Concept component view

CI-KGR-103-E

END BRACKET

Single-ended termination; specify quantity per run.

QUOTE CI-KGR-103-E

CI-KGR-103-C

CENTRE BRACKET

Pass-through support for straight sections.

QUOTE CI-KGR-103-C

CI-KGR-103-90

90° CORNER

Two-way junction for an L-shaped return.

QUOTE CI-KGR-103-90

OPTIONAL ROD DIAMETERS

6 mm / 10 mm / 16 mm / 25 mm

Confirm post bore, minimum wall thickness, fixing and span before ordering.

FINISH CODE (APPEND TO YOUR ORDER REQUEST)

AB	PW	BB	MB	ORB	PC	PB
Antique Brass	Pewter	Brushed Brass	Matte Black	Oil Rubbed Bronze	Polished Chrome	Polished Brass

Illustrative bracket concepts; not certified shop drawings. Architectural concept; square-base footprint and final rod bore require technical approval. Bracket mounting orientation, dimensions and final hole positions are subject to approval.

DESIGN 04 / CI-KGR-104

Langford Duo

Double-Tier Brass Gallery Rail | Double Tier | Display | Heritage



DESIGN INTENT

Two elegantly spaced horizontal rods offer a more substantial decorative boundary along a shelf.

- Two parallel rail lines per run
- Twin-socket support system
- A statement solution for bar and pantry shelving

ORDER BY COMPONENT / **CI-KGR-104-E + CI-KGR-104-C + CI-KGR-104-90**


SHOP CURRENT GALLERY RAIL

QUOTE THIS DESIGN

Choose each bracket


Langford Duo | End, centre and 90° corner supports are individually specified. Quantity is chosen by the customer.

END BRACKET




Concept component view

CENTRE BRACKET



Concept component view

90° CORNER BRACKET



Concept component view

CI-KGR-104-E

END BRACKET

Single-ended termination; specify quantity per run.

QUOTE CI-KGR-104-E

CI-KGR-104-C

CENTRE BRACKET

Pass-through support for straight sections.

QUOTE CI-KGR-104-C

CI-KGR-104-90

90° CORNER

Two-way junction for an L-shaped return.

QUOTE CI-KGR-104-90

OPTIONAL ROD DIAMETERS

6 mm / 10 mm / 16 mm / 25 mm

Confirm post bore, minimum wall thickness, fixing and span before ordering.

FINISH CODE (APPEND TO YOUR ORDER REQUEST)

AB	PW	BB	MB	ORB	PC	PB
Antique Brass	Pewter	Brushed Brass	Matte Black	Oil Rubbed Bronze	Polished Chrome	Polished Brass

Illustrative bracket concepts; not certified shop drawings. Two rods required per span. Specify upper and lower rail lengths separately if different. Bracket mounting orientation, dimensions and final hole positions are subject to approval.

DESIGN 05 / CI-KGR-105

Warwick Twist

Fluted & Rope-Twist Gallery Rail | Textured | Fluted | Bespoke



DESIGN INTENT

Fluted posts meet a decorative rope-twist horizontal rail for an expressive, handcrafted appearance.

- Twisted rope-form horizontal rod
- Tall fluted post detailing
- Decorative period and bespoke joinery appeal

ORDER BY COMPONENT / **CI-KGR-105-E + CI-KGR-105-C + CI-KGR-105-90**


SHOP CURRENT GALLERY RAIL

QUOTE THIS DESIGN

Choose each bracket


Warwick Twist | End, centre and 90° corner supports are individually specified. Quantity is chosen by the customer.

END BRACKET




Concept component view

CENTRE BRACKET



Concept component view

90° CORNER BRACKET



Concept component view

CI-KGR-105-E

END BRACKET

Single-ended termination; specify quantity per run.

QUOTE CI-KGR-105-E

CI-KGR-105-C

CENTRE BRACKET

Pass-through support for straight sections.

QUOTE CI-KGR-105-C

CI-KGR-105-90

90° CORNER

Two-way junction for an L-shaped return.

QUOTE CI-KGR-105-90

OPTIONAL ROD DIAMETERS

6 mm / 10 mm / 16 mm / 25 mm

Confirm post bore, minimum wall thickness, fixing and span before ordering.

FINISH CODE (APPEND TO YOUR ORDER REQUEST)

AB	PW	BB	MB	ORB	PC	PB
Antique Brass	Pewter	Brushed Brass	Matte Black	Oil Rubbed Bronze	Polished Chrome	Polished Brass

Illustrative bracket concepts; not certified shop drawings. Rope-style bar may require a custom-machined matching profile, not a plain round rod. Bracket mounting orientation, dimensions and final hole positions are subject to approval.

PLAN YOUR SYSTEM

How the parts work together

Specify every component as an individually priced item. No fixed bracket quantity is imposed on the customer.

01 STRAIGHT SHELF

Usually 2 end brackets + optional centre brackets + 1 rod per span.




02 L-SHAPED SHELF

Include a 90° corner junction where the rail changes direction.



03 DOUBLE-TIER SHELF

Specify twin horizontal rods and matching two-socket uprights.



Indicative layouts, not structural instructions. Support count and spacing depend on rod size, shelf length, anticipated use, attachment substrate and project engineering. For a right-angle return, supply a measured plan and confirm the corner socket geometry.

REQUEST CONFIGURATION SUPPORT

SHOP EXISTING RANGE

ORDER WORKSHEET

Specify your quantities

Copy the reference codes into the quote email or send a completed worksheet to mail@craftacks.com.

DESIGN / ITEM	END	CENTRE	90° CORNER	RODS
CI-KGR-101 Knurlcrest				
CI-KGR-102 Ashbourne				
CI-KGR-103 Mayfair Deco				
CI-KGR-104 Langford Duo				
CI-KGR-105 Warwick Twist				

ROD SCHEDULE

ROD CODE / DIAMETER	CUT LENGTH IN MM	QUANTITY	FINISH CODE

DELIVERY & PROJECT NOTES

EMAIL YOUR QUOTE REQUIREMENTS

OPEN ONLINE CONTACT FORM

BEFORE YOU ORDER

Practical specification notes

A short guide for joiners, interior designers, cabinetmakers, homeowners and trade customers.

WHAT SHOULD I ORDER?

Select your design code, individual post quantities, the quantity of rod pieces, each finished cut length and a matching finish. Add a measured shelf plan for corners and multi-level assemblies.

HOW ARE CUSTOM LENGTHS QUOTED?

Provide dimensions in millimetres for each straight run, identify whether the measurement is clear span or overall finished rail length, and note any projecting end finials. Production cut lengths are confirmed after engineering review.

CAN I MIX ROD DIAMETERS?

The collection includes nominal 6 mm, 10 mm, 16 mm and 25 mm rod options on request. Socket bores, finials and wall thicknesses must be designed for the selected diameter; do not assume any bracket accepts all four.

CAN I ORDER ONLY END, CENTRE OR CORNER POSTS?

Yes: specify a component reference such as CI-KGR-103-90 and your required quantity. Each design has independently quoted end, centre and 90° junction component types.

ARE THESE LIVE ONLINE SHOP SKUS?

Not yet. CI-KGR-101 through CI-KGR-105 are proposed product-development references, distinct from the products currently published in the Craftacks online shop. The shop buttons show existing gallery rail offerings.

HOW ARE FINISHES APPROVED?

Specify AB, PW, BB, MB, ORB, PC or PB. Photographic previews are illustrative and not substitute for a physical swatch. Confirm metal finish, surface care and suitability for the intended environment.

REQUEST A PROJECT QUOTE

VIEW LIVE GALLERY RAIL LISTING



CRAFTACKS INDIA

Beautiful hardware.
Made for your space.

Bespoke brass kitchen gallery rails, modular fittings and custom-cut rods for refined joinery projects around the world.

EXPLORE THE GALLERY RAIL RANGE

REQUEST A PROJECT QUOTATION

www.craftacks.com | mail@craftacks.com